

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) An isolated DNA encoding a fusion protein comprising (a) ~~a first~~an amino acid sequence comprising amino acid 42 to amino acid 60 of SEQ ID NO:2, and (b) ~~a second amino acid sequence derived from the sequence of a protein other than~~ non-P selectin ligand amino acid sequence.
2. (Original) The DNA of claim 1, which further comprises an expression control sequence operably, linked to said nucleotide sequence.
3. (Original) A host cell transformed with the DNA of claim 2.
4. (Original) A process for producing a fusion protein, which comprises:
  - (a) culturing the host cell of claim 3 under condition suitable for expression of the fusion protein; and
  - (b) purifying the fusion protein from the culture medium.
5. (Original) The DNA of claim 1 wherein said first amino acid sequence comprises amino acid 42 to amino acid 402 of SEQ ID NO:2.
6. (Original) The DNA of claim 1 wherein said first amino acid sequence comprises amino acid 42 to amino acid 310 of SEQ ID NO:2.
7. (Original) The DNA of claim 1 wherein said first amino acid sequence comprises amino acid 42 to amino acid 88 of SEQ ID NO:2.
8. (Original) The DNA of claim 1 wherein said first amino acid sequence comprises amino acid 42 to amino acid 118 of SEQ ID NO:2.

9. (Original) The DNA of claim 1 wherein said first amino acid sequence comprises amino acid 42 to amino acid 189 of SEQ ID NO:2.

10. (Original) The DNA of claim 1 wherein said second amino acid sequence is linked to the C-terminus of said first amino acid sequence.

11. (Original) The DNA of claim 10 wherein said sequences are linked by a linking sequence.

12. (Original) The DNA of claim 1 wherein said second amino acid sequence is joined to the N-terminus of said first amino acid sequence.

13. (Original) The DNA of claim 12 wherein said sequences are linked by a linking sequence.

14. (Currently amended) The DNA of claim 1 wherein said second amino acid sequence is derived from a protein ~~selected~~chosen ~~from the group consisting of an~~ antibody, a cytokine, a growth factor, a differentiation factor, a hormone, an enzyme, a receptor or fragment thereof and a ligand.

15. (Original) The DNA of claim 14 wherein said second amino acid sequence is derived from the sequence of an antibody.

16. (Original) The DNA of claim 15 wherein said second amino acid sequence is derived from the Fc portion of an antibody.

17. (Original) The DNA of claim 15 wherein said second amino acid sequence is a mutation of a sequence derived from an antibody.

18. (Original) The DNA of claim 14 wherein said second amino acid sequence is derived from the sequence of a cytokine.

19. (Original) The DNA of claim 14 wherein said second amino acid sequence is derived from the sequence of a growth factor.
20. (Original) The DNA of claim 19 wherein said growth factor is a BMP.
- Claims 21-28 (Canceled)
29. (Currently amended) A fusion protein comprising (a) a first amino acid sequence comprising amino acid 42 to amino acid 60 of SEQ ID NO:2, and (b) a ~~second amino acid sequence derived from the sequence of a protein other than~~ non-P selectin ligand amino acid sequence.
30. (Original) The fusion protein of claim 29 wherein said first amino acid sequence comprises amino acid 42 to amino acid 402 of SEQ ID NO:2.
31. (Original) The fusion protein of claim 29 wherein said first amino acid sequence comprises amino acid 42 to amino acid 310 of SEQ ID NO:2.
32. (Original) The fusion protein of claim 29 wherein said first amino acid sequence comprises amino acid 42 to amino acid 88 of SEQ ID NO:2.
33. (Original) The fusion protein of claim 29 wherein said first amino acid sequence comprises amino acid 42 to amino acid 118 of SEQ ID NO:2.
34. (Original) The fusion protein of claim 29 wherein said first amino acid sequence comprises amino acid 42 to amino acid 189 of SEQ ID NO:2.
35. (Original) The fusion protein of claim 29 wherein said second amino acid sequence is linked to the C-terminus of said first amino acid sequence.
36. (Original) The fusion protein of claim 35 wherein said sequences are linked by a linking sequence.

37. (Original) The fusion protein of claim 29 wherein said second amino acid sequence is joined to the N-terminus of said first amino acid sequence.

38. (Original) The fusion protein of claim 37 wherein said sequences are linked by a linking sequence.

39. (Currently amended) The fusion protein of claim 29 wherein said second amino acid sequence is derived from a protein ~~selected~~chosen from the group consisting of an antibody, a cytokine, a growth factor, a differentiation factor, a hormone, an enzyme, a receptor or fragment thereof and a ligand.

40. (Original) The fusion protein of claim 39 wherein said second amino acid sequence is derived from the sequence of an antibody.

41. (Original) The fusion protein of claim 40 wherein said second amino acid sequence is derived from the Fc portion of an antibody.

42. (Original) The fusion protein of claim 40 wherein said second amino acid sequence is a mutation of a sequence derived from an antibody.

43. (Original) The fusion protein of claim 39 wherein said second amino acid sequence is derived from the sequence of a cytokine.

44. (Original) The fusion protein of claim 39 wherein said second amino acid sequence is derived from the sequence of a growth factor.

45. (Original) The fusion protein of claim 44 wherein said growth factor is a BMP.

Claims 46-53 (Canceled)

54. (Original) A fusion protein made according to the process of claim 4.

55. (Currently amended) A composition comprising (a) a ~~first~~ peptide comprising amino acid 42 to amino acid 60 of SEQ ID NO:2, and (b) a ~~second peptide derived from the sequence of a protein other than non-P-selectin ligand~~ amino acid sequence, wherein said first peptide and said second peptide are chemically linked by a moiety other than a peptide bond.

56. (Currently amended) A method of identifying an inhibitor of selectin-mediated intercellular adhesion ~~which comprises~~ comprising:

- (a) combining a selectin protein with the fusion protein of claim 29, said combination forming a first binding mixture;
- (b) measuring the amount of binding between the selectin protein and the fusion protein in the first binding mixture;
- (c) combining a compound with the selectin protein and the fusion protein to form a second binding mixture;
- (d) measuring the amount of binding in the second binding mixture; and
- (e) comparing the amount of binding in the first binding mixture with the amount of binding in the second binding mixture;

wherein the compound is capable of inhibiting selectin-mediated intercellular adhesion when a decrease in the amount of binding of the second binding mixture occurs.

57. (Previously presented) A pharmaceutical composition comprising the fusion protein of claim 29 and a pharmaceutically acceptable carrier.

58. (Currently amended) A method of treating an inflammatory disease in a subject ~~which comprises~~ comprising administering to the subject a therapeutically effective amount of ~~the composition of claim 29~~ a composition comprising a fusion protein comprising:

(a) a first an amino acid sequence comprising amino acid 42 to amino acid 60 of SEQ ID NO:2, and

(b) a non-P selectin ligand amino acid sequence~~to said subject.~~

59. (Currently amended) The method of claim 58, wherein said inflammatory disease is ~~selected~~ chosen from the ~~group consisting of:~~ arthritis, gout, uveitis, acute respiratory distress syndrome, asthma, emphysema, delayed type hypersensitivity reaction, systemic lupus erythematosus, thermal injury such as burns or frostbite, autoimmune thyroiditis, experimental allergic encephalomyelitis, multiple sclerosis, multiple organ injury syndrome secondary to trauma, diabetes, Reynaud's syndrome, neutrophilic dermatosis, inflammatory bowel disease, Grave's disease, glomerulonephritis, gingivitis, periodontitis, hemolytic uremic syndrome, ulcerative colitis, Crohn's disease, necrotizing enterocolitis, granulocyte transfusion associated syndrome, and cytokine induced toxicity.

60. (Currently amended) A method of inhibiting selectin-mediated binding in a subject comprising administering to the subject a therapeutically effective amount of a ~~composition of claim 29~~ fusion protein comprising:

(a) an amino acid sequence comprising amino acid 42 to amino acid 60 of SEQ ID NO:2, and

(b) a non-P selectin ligand amino acid sequence~~to said subject.~~

61. (Currently amended) The method of claim 60, wherein ~~administration of~~  
~~said composition selectively inhibits P-selectin mediated binding~~the subject has a  
condition chosen from myocardial infarction, bacterial or viral infection, metastatic  
condition, inflammatory disorder, thrombotic disorder, parasitic disease, and organ  
transplant rejection.

62. (New) The method of claim 60, wherein the subject is a hemodialysis or leukopheresis patient.

63. (New) A method of treating a subject having a condition characterized by selectin-mediated intercellular adhesion, comprising administering a therapeutically effective amount of a soluble P-selectin ligand protein, or a fragment thereof having P-selectin ligand activity, wherein the soluble P-selectin ligand protein or fragment comprises amino acid 42 to amino acid 60 of SEQ ID NO:2.

64. (New) The method of claim 63, wherein the P-selectin ligand protein or fragment comprises amino acid 42 to amino acid 88 of SEQ ID NO:2; amino acid 42 to amino acid 118 of SEQ ID NO:2; amino acid 42 to amino acid 189 of SEQ ID NO:2; amino acid 42 to amino acid 310 of SEQ ID NO:2; or amino acid 42 to amino acid 402 of SEQ ID NO:2.

65. (New) The method of claim 63, wherein the soluble P-selectin ligand protein, or a fragment thereof having P-selectin ligand activity, further comprises an Fc portion of an immunoglobulin.

66. (New) The method of claim 65, wherein the immunoglobulin is IgG.

67. (New) The method of claim 63, wherein the condition is chosen from myocardial infarction, bacterial or viral infection, metastatic condition, inflammatory

disorder, thrombotic disorder, parasitic disease, and symptoms associated with organ transplant rejection, hemodialysis, and leukopheresis.

68. (New) A method of treating myocardial infarction comprising administering to a subject a therapeutically effective amount of a composition comprising a soluble P-selectin ligand protein comprising amino acid 42 to amino acid 88 of SEQ ID NO:2.

69. (New) A method of treating a thrombotic disorder comprising administering to a subject a therapeutically effective amount of a composition comprising soluble P-selectin ligand protein comprising amino acid 42 to amino acid 88 of SEQ ID NO:2.